


## **VAPOR DEGREASER & ULTRASONIC SOLVENTS**





## **Vapor Degreaser Solvents**



## **Greater Safety & Performance**

echspray offers a wide variety of vapor degreaser formulas engineered to meet challenging requirements like cleanliness specifications, difficult-to-clean soils, solventsensitive materials, and restrictive regulations.

All Techspray solvents have azeotropic properties that allow them to remain stable as they are cycled in a vapor degreaser. They are not reactive or corrosive to metals commonly found in the construction of vapor degreasers.

PWR-4™ solvents are designed to replace nPB, TCE and Perc, matching and surpassing cleaning performance without the safety concerns.

**Precision-V**<sup>™</sup> vapor degreaser solvents are ideal replacements for 3M Novec solvents and AK-225 based cleaners, which were phased out due to the ozone depletion restrictions of the Montreal Protocol.



#### Solvent 3810

#### Plastic-safe rinsing agent & heat transfer fluid

- Replacement for Novec 7100, 7200 & 7300
- Nonflammable
- Plastic-safe

3810-G 1 gal. (3.8L) pail 3810-5G 5 gal. (19L) pail 3810-54G 54 gal. (205L) drum



#### **NEW!**

#### Solvent 3820

#### Powerful, high precision solvent

- Replacement for Novec 71DA, 71DE, 72DA, 72DE & 73DE
- Nonflammable
- Effective on cutting fluids, heavy greases & oils

1 gal. (3.8L) pail 3820-G 5 gal. (19L) pail 3820-5G 3820-54G 54 gal. (205L) drum



#### **NEW!**

#### Solvent 3410

#### Heavy-duty, cost effective degreaser

- Replacement for Novec 71DE, 72DA, 72DE & 73DE
- Nonflammable
- Effective on heavy greases, oils & waxy corrosion inhibitors
- For vapor degreasing, ultrasonic & immersion cleaning

3410-G 1 gal. (3.8L) can 3410-5G 5 gal. (19L) pail 3410-54G 54 gal. (205L) drum



#### **Industrial Maintenance Cleaner**

#### Heavy-duty, cost effective degreaser

- Replacement for Novec 71DE, 72DE & 73DE
- Nonflammable
- Effective on heavy greases, oils & waxy corrosion inhibitors
- For vapor degreasing, ultrasonic & immersion cleaning
- Lower GWP

3400-G 1 gal. (3.8L) can 3400-5G 5 gal. (19L) pail 3400-54G 54 gal. (205L) drum



#### **Flux Remover**

#### Heavy-duty, cost effective flux remover

- Replacement for Novec 71DE, 72DE & 73DE
- Nonflammable
- Effective on rosin, RMA, no-clean & lead-free fluxes
- For vapor degreasing, ultrasonic & immersion cleaning
- Lower GWP

3401-G 1 gal. (3.8L) pail 3401-5G 5 gal. (19L) pail 3401-54G 54 gal. (205L) drum

## Techspray Has The Novec Replacements You Need.

#### **Immediate Chemical Replacements**

For companies reacting to the unreliable availability of Novec solvents, Techspray offers a line of chemical replacements. These solvents are engineered to react and perform the same as Novec products. COC's are available to ensure your strict quality standards are maintained.

#### 3M Novec # Techspray Replacements

3111 110 VCC #	reenspray neplacements					
7100	Precision-V 3710 3710-G 3710-5G 3710-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
71DA	Precision-V 371DA 371DA-G 371DA-5G 371DA-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
71DE	Precision-V 371DE 371DE-G 371DE-5G 371DE-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
71IPA	Precision-V 371IPA 371IPA-G 371IPA-5G 371IPA-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
7200	Precision-V 3720 3720-G 3720-5G 3720-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
72DA	Precision-V 372DA 372DA-G 372DA-5G 372DA-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
72DE	Precision-V 372DE 372DE-G 372DE-5G 372DE-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
7300	Precision-V 3730 3730-G 3730-5G 3730-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				
73DE	Precision-V 373DE 373DE-G 373DE-5G 373DE-54G	1 gal. (3.8L) can 5 gal. (19L) pail 54 gal. (205L) drum				



# Options For Replacing 3M Novec Solvents

With 3M's announcement of their discontinuation of Novec branded solvents by the end of 2025, companies are scrambling to identify the best solution for the immediate and long-term...

#### **Option 1 - Immediate solution**

Choose one of Techspray's specifically engineered Novec replacements. Cleaning qualification testing is optional. COA available on request.

#### Option 2 - Long-term solution

Choose one of Techspray's replacements, under the product brands PWR-4 and Precision-V, for improved performance and cost. Custom formulations are available to meet specification requirements (e.g. low GWP, PFAS-free).

Techspray has great products for any of these options. Go to www.novecreplacements.com for details.



## Vapor Degreaser Solvents

#### **Vapor Degreaser Selection Guide**

Part#	Product Name	Boiling Point (°F/°C)	EPA VOC (wt %)	CARB VOC (wt %)	SCAQMD VOC (g/l)	GWP	Degreasing	Defluxing	Plastic- Safe	Cleaning Performance
3400	PWR4 Maintenance Cleaner	118/48	95	100	1206	16	•			Strongest
3401	PWR4 Flux Remover	118/48	95	100	1206	16		•		
3410	PWR4 3410	118/48	90	97	1239	54	•			
3820	Precision-V 3820 <b>NEW!</b>	102/39	43	100	1342	374		•	*	
371DE	Precision-V 371DE <b>NEW!</b>	106/41	45	45	638	160	•	•	*	
372DE	Precision-V 372DE	111/44	70	70	896	43	•	•	*	
373DE	Precision–V 373DE	118/48	85	100	1088	47	•	•	*	
372DA	Precision–V 372DA	109/43	61	61	768	43	•	•	*	
371DA	Precision-V 371DA	104/40	48	48	638	170	•	•	•	
371IPA	Precision–V 371IPA	131/55	3	3	45	310	•		•	
3810	Precision-V 3810 <b>NEW!</b>	133/56	exempt	100	1434	540			•	
3710	Precision-V 3710	142/61	exempt	0	0	320			•	
3720	Precision-V 3720	169/76	exempt	0	0	55			•	Most
3730	Precision-V 3730	208/98	exempt	100	995	200			•	Plastic-Safe

<sup>\*</sup> Test First



### **TechLab Cleaning & Qualification Services**

Techspray's TechLab offers state-of-the-art cleaning, coating and analytical services to help customers optimize their processes. Our cleaning equipment includes batch, ultrasonic, and vapor-degreasing systems. This equipment allows us to better duplicate your production environment for process optimization and troubleshooting, while ensuring compliance, safety and affordability. Depending on your needs, whether it be cleaning or identifying a problematic process or product, or to identify a product to assist your normal processes, our staff, equipment and expertise are here for you.

Contact Techspray at 678-819-1408 or info@itwcce.com for free TechLab qualification testing. We are available to help qualify new cleaning processes, evaluate current processes, or troubleshoot contamination issues.



Techspray - US Office 8125 Cobb Center Drive Kennesaw, GA 30152 678-819-1408 800-858-4043 tsales@techspray.com  Techspray - European Office ITW Contamination Control BV Saffierlaan 5, 2132 VZ Hoofddorp The Netherlands +31 88 1307 400 info@itw-cc.com

Techspray - China Office ITW Specialty Materials (Suzhou) Co., Ltd Hengqiao Road, Wujiang Economic Development Zone, Suzhou, Jiangsu Province, China 215200 (86)512-82060808 Ext 508 MP: (86) 13777018750