

Technical Data Sheet

Rev. A (10/17) Page 1 of 2

E-Line Degreaser

Product# 1615-16S

Product Description

Maintenance cleaners clean oil and contaminants off of solenoids, coil windings, metal parts, printed circuit boards, barcode instruments, switch boxes, gearboxes, and engines. Grease and oil flow right off, reducing the time and materials needed to scrub off stubborn soils.

E-Line Degreaser is a non-chlorinated degreaser and electrical cleaner, formulated to be powerful, yet very economical. Eliminate brushing and scrubbing, saving time and materials. This product was originally formulated for the difficult cleaning applications, and is ideal for removing oils, greases and carbon residues from control panels, switch plates, enclosures, motors, and work surfaces in manufacturing finished goods. It exhibits slower evaporation, which allows the solvent to soak in and break down difficult to remove soils. Note: Not for retail sale – for manufacturing use only.

Features / Benefits

- Ideal for electrical & maintenance cleaning
- Removes encrusted dirt, silicone grease and other contaminants
- High flash point
- Completely non-chlorinated and non-brominated
- Leaves no residues
- Excellent dielectric strength
- Contains no CFCs or HCFCs
- Plastic safe, non-corrosive
- Low odor
- Low toxicity

Applications

- Cold/Bucket Cleaning
- Motor Cleaning
- Plant Maintenance
- Transit Maintenance
- Machine and Parts Maintenance

Usage Instructions

Disconnect equipment from power source. Make sure opening of sprayhead is pointing toward surface to be cleaned. Hold can 6-8 inches away. Direct spray to saturate soiled surface. A **TechBrush**TM (2000 Series) may be utilized to help in the removal of heavy soils. When used as a general cleaner, start at top of area to be cleaned using a sweeping motion and spray the area, slowly working toward the bottom. To clean in hard to reach areas, insert extension tube in sprayhead to direct spray. **Allow components to dry completely before applying current.**

Typical Product Data and Physical Properties

Physical State:	Liquid
Odor:	Faint ethereal odor
Color:	Clear
Percent Volatile:	100
Boiling Point:	218ºC (424ºF)
Flashpoint (Method):	>199.9ºF / >93.3ºC (TAG CC)
Relative Density:	0.79
VOC:	Carb – 97%
	SCAQMD – 756 g/L
	EPA – 97%
KB Value:	31
Dielectric Breakdown:	>40 kV

Material Compatibility

ABS:	Excellent
Buna-N:	Excellent
EPDM:	Good
Graphite:	Excellent
HDPE:	Excellent
Kynar™:	Excellent
LDPE:	Excellent
Lexan™:	Excellent
Neoprene:	Excellent
Noryl®:	Excellent
Nylon 66™:	Excellent
Cross-Linked PE:	Excellent
Polypropylene:	Excellent
Polystyrene:	Excellent
PVC:	Excellent
Silicone Rubber:	Good
Teflon™:	Excellent
Viton™:	Excellent



Technical Data Sheet

Rev. A (10/17) Page 2 of 2

E-Line Degreaser

Product# 1615-16S

Packaging and Availability

1615-16S 16 oz. Aerosol Can

Environmental Policy

Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

Resources

Techspray® products are supported by global sales, technical and customer services resources.

For additional technical information on this product or other Techspray® products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.



Techspray® 8125 Cobb Center Drive Kennesaw, GA 30152 800-858-4043 tsales@techspray.com

Europe

ITW Contamination Control BV Saffierlaan 5, 2132 VZ Hoofddorp The Netherlands +31 88 1307 400 info@itw-cc.com

Countries outside the US Call to locate a distributor in your country